

Nordic

Product Update 01/2011

ExxonMobil Field Marketing Organization May 2011

This presentation includes forward-looking statements. Actual future conditions (including economic conditions, energy demand, and energy supply) could differ materially due to changes in technology, the development of new supply sources, political events, demographic changes, and other factors discussed herein (and in Item 1 of ExxonMobil's latest report on Form 10-K). This material is not to be reproduced without the permission of Exxon Mobil Corporation.



New Lubes Product Update from ExxonMobil

Welcome to our Lubes Product Information letter!

We publish information letters regularly to inform our customers about changes in our product range.

In this Information Letter we aim to inform you about new products, replacements and obsolete products/packages. We will also give a short brief about the changes.

Product Data Sheets and Material Safety Data Sheets are available on our web sites for more technical details.

Concerning the replacing materials please consult our Technical Helpdesk as special considerations may be required depending on application.

Automotive Lubes Update

New Labels & Name Change

In January ExxonMobil launched new “slant design” labels across the full range of Mobil 1 engine oils throughout Nordic. The new labeling unifies the Mobil 1 product range, and informs customers at a glance the benefits of each Mobil 1 engine oil and how it specifically meets their needs.

*Please note that all products will keep same article number, except the Mobil 1 5W50 grade. **The product formerly known as Mobil 1 5W50 Rally Formula has changed name to Mobil 1 5W50 Peak Life and got new article numbers as shown below.***

Existing Material Codes Mobil1 5W50	Existing Material Name Mobil1 5W50	New Material Codes Mobil1 5W50	New Material Name Mobil1 5W50
143507	M-1 5W50 IBC-PL 1000L	150034	MOBIL 1 P LIFE 5W50 IBC-PL 1000L
143506	M-1 5W50 DRUM-M 208L	150035	MOBIL 1 P LIFE 5W50 DRUM-M 208L
143508	M-1 5W50 PAIL 20L	150036	MOBIL 1 P LIFE 5W50 PAIL 20L
143639	M-1 5W50 GSP 4x4L EU-NE	150038	MOBIL 1 P LIFE 5W50 GSP 4X4L EU-NEE
143638	M-1 5W50 GSP 12x1L EU-NE	150037	MOBIL 1 P LIFE 5W50 GSP 12X1L EU-NEE



Automotive Lubes Update



New Products

Mobil 1 ESP 0W-40

Is our latest low ash motor oil! Mobil 1 ESP 0W-40 is a fully synthetic engine oil designed to help provide exceptional cleaning power, wear protection and overall performance. It has been expertly engineered to help prolong the life and maintain the efficiency of emission systems in both diesel and gasoline powered automobiles.

Mobil 1 ESP 0W-40 carries the latest low ash GM Service Fill dexos2™ specification required for all new GM/Vauxhall/Chevrolet Diesel & Petrol vehicles and has the following performance profile:

- Meets requirements of: **ACEA C3, API SM**
- Approved : **MB-Approval 229.51/229.31; VW 502 00/505 00; BMW LL-04, Porsche A40, dexos2™**
- Suitable for applications requiring **API CF, OPEL GM-LL-A-025/LL-B-025**

Mobil 1 ESP 0W-40 will be available during spring 2011 with below tabulated article codes.

Please note that availability may vary between Nordic countries. :

Material	Material Description
151493	MOBIL 1 ESP 0W40 DRUM-M 208L
151501	MOBIL 1 ESP 0W40 GSP 12X1L EU-NE
151497	MOBIL 1 ESP 0W40 GSP 4X4L EU-NE



Automotive Lubes Update



Product Replacements

Mobil Super 3000 XE 5W-30

We have recently gained the dexos2™ approval for Mobil Super 3000 XE 5W-30, and **by this upgrade the Mobil Super 3000 XE 5W-30 will fully replace Mobil Syst S Special V 5W-30 which will be eliminated accordingly.**

Mobil Super 3000 XE 5W-30 carries the following performance profile:

- Meets requirements of: **ACEA C3, API SM**
- Approved : **MB-Approval 229.51/229.31; VW 502 00/505 00/505 01; BMW LL-04; dexos2™**
- Suitable for applications requiring **API CF, OPEL GM-LL-A-025/LL-B-025**

Mobil Super 3000 XE 5W-30 will be available depending on inventory with below tabulated article codes. ***Please note that availability may vary between Nordic countries.***

Existing Material Codes	Existing Material Description	New Material Codes	New Material Description
150471	MOBIL SYSTS SPLV5W30 IBC-PL 1000L	150711	M-SUP3000 XE 5W30 IBC-PL 1000L
150222	MOBIL SYSTS SPLV5W30 DRUM-M 208L	150712	M-SUP3000 XE 5W30 DRUM-M 208L
150224	MOBIL SYSTS SPLV5W30 PAIL 20L	150941	M-SUP3000 XE 5W30 PAIL 20L
150230	MOBIL SYSTS SPLV5W30 GSP 12X1L EU-NE	151456	M-SUP3000 XE 5W30 GSP 12X1L EU-NEE

Automotive Lubes Update

Product Replacements

Mobil Super 3000 X1 Formula FE 5W-30

Mobil Super 3000 X1 Formula FE 5W-30 has been reformulated. ***Mobil Super 3000 X1 Formula FE 5W-30 and will replace Mobil Super 3000 Formula FE 5W-30 , Mobil Super FE Special 5W-30 and Esso Ultra 913 5W-30, which will be eliminated accordingly.***

Mobil Super 3000 X1 Formula FE 5W-30 carries the following performance profile and due to full backward compatibility, this product is also suitable for applications requiring Ford WSS-M2C-913-A & WSS-M2C-913-B :

- Meets requirements of: **ACEA A5/B5; API SL; Ford WSS-M2C913-C**
- Suitable for applications requiring **API CF**

Mobil Super 3000 X1 Formula FE 5W-30 will be available depending on inventory with below tabulated article codes.

Existing Material Codes	Existing Material Description	New Material Codes	New Material Description
145365	E-ULTRA 913 5W30 DRUM-M 208L	151174	M-SUP3000 X1F-FE5W30 DRUM-M 208L
125902	M-SUP FESPL 5W30 Drum-M 208L	151174	M-SUP3000 X1F-FE5W30 DRUM-M 208L
141882	M-SUP FESPL 5W30 GSP 12x1L EU-NE	151520	M-SUP3000 X1F-FE5W30 GSP 12X1L EU-NE
141883	M-SUP FESPL 5W30 GSP 4x4L EU-NE	151526	M-SUP3000 X1F-FE5W30 GSP 4X4L EU-NE



Automotive Lubes Update



Product Reformulation

Mobil Super 3000 X1 5W-40

Mobil Super 3000 X1 5W-40 have been reformulated to meet ACEA 2008 requirements. The performance profile of this products will however remain very similar to the previous one with the addition of a new Renault performance claim (RN0710)

Mobil Super 3000 X1 5W-40 carries the following performance profile:

- Meets requirements of: **ACEA A3/B3, A3/B4; API SM**
- Approved: **VW 502 00 / 505 00; MB-Approval 229.3; Porsche A40; BMW Longlife Oil 01; GM-LL-B-025; Renault RN0710; Peugeot/Citroën Automobiles B71 2296**
- ExxonMobil Quality Level: **API CF**

Mobil Super 3000 X1 5W-40 will be available with below tabulated article codes.

Material	Material Description
150009	M-SUP 3000 X1 5W40 IBC-PL 1000L
150010	M-SUP3000 X1 5W40 DRUM-M 208L
150011	M-SUP3000 X1 5W40 PAIL 20L
151241	M-SUP3000 X1 5W40 GSP 4X5L EU-NEE
150013	M-SUP3000 X1 5W40 GSP 4X4L EU-NEE
150012	M-SUP3000 X1 5W40 GSP 12X1L EU-NEE

Automotive Lubes Update



New Specifications

ACEA have mandated that all Engine Oils making an ACEA claim manufactured on or after December 22nd 2010 must meet the new ACEA 2008 specification. Therefore if a product does not comply with ACEA 2008 requirements, it cannot be manufactured after that date and claim ACEA performance.

Following these new requirements ExxonMobil's personal vehicle engine oils meet as of December 22nd the following ACEA 08 specifications:

SPECIFICATIONS	ACEA							
	A3/B3	A3/B4	A1/B1	A5/B5	C1	C2	C3	C4
PRODUCT								
Mobil 1 New Life 0W-40	✓	✓						
Mobil 1 Peak Life 5W-50	✓	✓						
Mobil 1 Fuel Economy 0W-30			✓	✓				
Mobil 1 ESP Formula 5W-30						✓	✓	
Mobil 1 ESP 0W-40							✓	
Mobil Super 3000 X1 5W-40	✓	✓						
Mobil Super 3000 X1 Formula FE 5W-30				✓				
Mobil Super 3000 XE 5W-30							✓	
Mobil Super 3000 Formula P 5W-30						✓		
Mobil Super 3000 Formula V 5W-30						✓	✓	
Mobil Super 3000 Formula R 5W-30								✓
Mobil Super 2000 X1 10W-40	✓							


Automotive Lubes Update



Article Code Reminder

Last year we introduced our new Mobil branded Car Care range. Below you find a an overview of the Car Care articles that are available on the Nordic market.

Material	Description	Denmark	Finland	Norway	Sweden
150905	M-BRAKE FLUID DOT4 4X5L EU-ML	X	X	X	X
150906	M-BRAKE FLUID DOT4 12X0.5L EU-ML	X	X	X	X
144150	M-ANTIFREEZE PAIL 20L	X	X	X	X
144279	M-ANTIFREEZE DRUM-M 208L	X	X	X	X
148926	M-ANTIFREEZE BIT 12X1L DK/FN/IS/N/S	X	X	X	X
148927	M-ANTIFREEZE BIT 4X5L DK/FN/IS/N/S	X	X	X	X
144271	M-ANTIFREEEZ ADVANCED DRUM-M 208L	X	X	X	
144272	M-ANTIFREEEZ ADVANCED PAIL 20L	X		X	X
148924	M-ANTIFREEEZ ADV BIT 12X1L DK/FN/IS/N/S		X	X	X
148925	M-ANTIFREEEZ ADV BIT 4X5L DK/FN/IS/N/S		X	X	X
144275	M-ANTIFREEZE EXTRA DRUM-M 208L	X	X	X	X
144276	M-ANTIFREEZE EXTRA PAIL 20L	X		X	X
151234	M-COOLANT RM -36 BIT 12X1L DK/FN/IS/N/S	X	X	X	X
151235	M-COOLANT RM -36 BIT 4X5L DK/FN/IS/N/S	X	X	X	X
148699	M-SCRWASH -65 XTREM 12X1L DK/FN/IS/N/S		X		
148700	M-SCRWASH -65 XTREM 3X4L DK/FN/IS/N/S		X	X	X
148701	M-SCRWASH -65 XTREM DRUM 208L DK/FN/IS/N		X	X	
148702	M-SCRWASH -16 XTRA 3X4L DK/FN/IS/N/S		X	X	
148703	M-SCRWASH -16 XTRA DRUM 208L DK/FN/IS/N/			X	
151103	M-DEICER 12x0.5L D/F/NL/GB/I/N			X	



Automotive Lubes Update



New Specifications

Mobil ATF 134


Mobil ATF 134 is now recommended for use in the latest generation of Mercedes Benz 7-speed automatic transmission gearboxes. It is approved against MB 236.14.

Product Rebrand

MOBIL GEAR OIL BV 75W-80

As part of the process to unify our product range under one brand we have **rebranded the ESSO GEAR OIL BV 75W-80 to MOBIL GEAR OIL BV 75W-80**. The rebranded products will have new article codes as tabulated below.

Existing Material Codes	Existing Material Name	New Material Codes	New Material Name
111608	E-GO BV 75W80 Drum-M 208L	151391	MOBIL GO BV 75W80 DRUM-M 208L
111482	E-GO BV 75W80 Pail 20L	151393	MOBIL GO BV 75W80 PAIL 20L



Automotive Lubes Update




Product Cancellations

Mobil Synthetic MCO Chainlube

Mobil Synthetic MCO Chainlube will be cancelled from the product line with no replacement. The exact timing of elimination is depending on inventory.

Material Number	Material Name	Comment
144057	M-SYN MCO CHAINL 12x0.4L	Article will be cancelled



Automotive Lubes Update




New Specifications

Some of our Commercial Vehicle Lubricants have now updated specifications as tabulated below and on the following pages. The products are shown with full specifications. **The specifications marked red are new:**

Product Name	Specifications
Mobil Delvac XHP ULTRA 5W30	ACEA E4, MAN M3277 , MB-Approval 228.5/ 235.28
Mobil Delvac XHP LE 10W40	ACEA E7/E6/E4, API CI-4, MB-Approval 228.51/228.5/235.27, MAN M 3477, MAN M 3277(CRT), Volvo VDS-3, Renault Trucks RXD/RLD-2/ RGD, DAF Extended Drain, JASO DH-2, Scania Low Ash, MTU Oil Category 3.1. Deutz DQC III-05
Mobil Delvac XHP EXTRA 10W40	ACEA E7/E4, API CF, MB-Approval 228.5/235.27, MAN M 3277, Volvo VDS-3/VDS-2, MTU Oil Category 3, Renault Trucks RXD, DAF Extended Drain, Scania LDF-2/ LDF-3 , Cummins CES 20072.
Mobil Delvac MX EXTRA 10W40	ACEA E7, ACEA B2, A2 , API CI-4/CH-4/CG-4/CF-4/CF/SL/SJ, MB-Approval 228.3/235.28, MAN M 3275-1 , Volvo VDS-3/VDS-2, Renault Trucks RLD/ RLD-2, Mack EO-M Plus, Cummins CES 20078/77/76/72/71, MTU Oil Category 1 (Open Crankcase only-ODI up to 500hrs)

Please Note: some of the claims shown above are quality level only. Full claims language can be found on labels and PDS




Automotive Lubes Update



New Specifications cont'.

Product Name	Specifications
Mobil Delvac MX 15W40	ACEA E7, A3/B3,A3/B4 , API CI-4/CH-4/CG-4/CF-4/CF/SL/SJ, MB-Approval 228.3, MAN M 3275-1 , Volvo VDS-3/VDS-2, Renault Trucks RLD/ RLD-2 , Mack EO-M Plus, Cummins CES 20078/77/76/75/72/71, CAT ECF-2, MTU Oil category 1. (Open Crankcase only-ODI up to 500hrs)
Mobil Delvac MX ESP 15W40	ACEA E9/E7, API CJ-4/CI-4 PLUS/CI-4/CH-4/CG-4/CF-4/CF/CF-2/SM/SL, CAT ECF-3, JASO DH-2, MAN M 3575/ M 3275-1 , VOLVO VDS-4/VDS-3/VDS-2, MB-Approval 228.31/228.3, Cummins CES 20081, Mack EO-O Premium Plus/ EO-N Premium Plus 03, Renault Trucks RLD-3, Deutz DQC II-05.
Mobil Delvac Super 1400 15W40	ACEA E3, A3/B3 , API CG-4/CF-4/CF/SJ, MB-Approval 228.3, MAN M 3275-1 , Volvo VDS-2, MTU Oil Category 2, Renault Trucks RD-2/RD
Mobilube 1 SHC 75W90	API GL-5/MT-1/ GL-4, MAN M 3343 Typ S/ 341 Typ E3, MB-Approval 235.8, Scania STO 1:0, ZF TE-ML02B/05B/07A/08/12B/16F/17B/19C/21B . JSC AVTODIZEL YaMZ Gearboxes

Please Note: some of the claims shown above are quality level only. Full claims language can be found on labels and PDS




Automotive Lubes Update



New Specifications cont'.

Product Name	Specifications
Mobil Delvac Synthetic ATF	Allison TES 295, MB-Approval 236.91, Voith turbo H55.633638/ Voith turbo DIWA service bulletin 013/118-Extended Drain
Mobilube GX 80W90	API GL-4, JSC AVTODIZEL YaMZ Gearboxes
Mobil Delvac Synthetic Gear Oil 75W90	API GL-5/ MT-1, MB-Approval 235.8, Scania STO 1:0, Voith Turbo 3.325-340/ 3.325-342 , Mack GO-J Plus, MAN 342 Typ M2, ArvinMerritor 0-76N, ZF TE-ML 05B/07A/08/12B/117B/19C/21B, Eaton PS 163 , Inter TMS 6816, MIL-PRF-2105E, DANA SHAES-256 rev C, DANA SHAES 429, Flender BA7302 table R1
Mobil Agri Extra 10W40	API GL-4/CE/SF, GIMA MF CMS M-1145/ MF M-1144/MF M-1139 , Ford M2C159B, John Deere J27, ZF TE-ML 06C/07B
Mobilfluid 426	API GL-4, MF M-1135/1141/1143/ 1145 , MAT 3505/3525, MS 1204-07/09, John Deere J20C, Cat TO-2, Kubota UDT, Ford ESN M2C134D, ZF 03E/05F/06K/17E, Volvo WB 101

Please Note: some of the claims shown above are quality level only. Full claims language can be found on labels and PDS




Automotive Lubes Update

Article Cancellations

Mobil Delvac 1320 Pail 20L

Mobil Delvac 1320 in 20L Pail will be eliminated from the Nordic market. Production of this article has stopped, but timing of full elimination is dependent on inventory. Mobil Delvac 1320 will continue to be offered in Drum 208 L.

Material	Description	Comment
127664	M-DELVAC 1320 Pail 20L	Article will be cancelled
121523	M-DELVAC 1320 Drum-M 208L	



Automotive Lubes Update

Article Cancellations

Mobil Delvac Super 1400 15W40 Bulk

Mobil Delvac Super 1400 15W40 in Bulk will be eliminated from the Scandinavian market. Production of this article has stopped, but timing of full elimination is dependent on inventory. Mobil Delvac Super 1400 15W40 will continue to be offered in IBC 1000 L, Drum 208 L and Pail 20 L

Material	Description	Comment
146320	M-DELVAC SUP1400 15W40	Article will be cancelled
146321	M-DELVAC SUP1400 15W40 IBC-PL 1000L	
146322	M-DELVAC SUP1400 15W40 DRUM-M 208L	
146324	M-DELVAC SUP1400 15W40 PAIL 20L	



Industrial Lubes Update

Mobil SHC

New Products

New Mobil SHC Gear series!

In our continuous drive to develop leading edge technology and sustainable lubricants for modern industrial gear applications, we're pleased to announce the launch of the new Mobil SHC Gear series!

Mobil SHC Gear fluids are approved by Siemens for use in Flender gearboxes and meet or exceed nearly every other major industry and Original Equipment Manufacturers (OEM) specification for industrial gearbox applications. The new Mobil SHC Gear lubricants also offer valuable energy efficiency benefits. In statistically validated laboratory tests and field trials, *Mobil SHC Gear fluids exhibited energy savings of up to 3.6 percent compared with conventional oils.**

The Product Data Sheet (PDS) and the Material Safety Data Sheet (MSDS) are available online at www.mobilindustrial.com.

*Energy efficiency relates solely to the fluid performance when compared to conventional (mineral) reference oils of the same viscosity grade. The technology used allows up to 3.6% efficiency compared to the reference when tested in a worm gearbox under controlled conditions. Efficiency improvements will vary based on operating conditions and application.

New Mobil SHC Gear series introduction timing is depending on inventory ***as subsequently the MobilgearSHC XMP 150, 220, and 680 will be withdrawn and Mobil SHC Gear lubricants offered as replacements.*** For article mapping info see next page.

ExxonMobil
Lubricants & Specialties

Industrial Lubes Update



New Products cont'.

Current and replacement material codes are tabulated below:

Existing Material Codes	Existing Material Name	New Material Codes	New Material Name
122841	M-GEAR SHCXMP 150 Drum-M 208L	151650	MOBIL SHC GEAR 150 DRUM-M 208L
122842	M-GEAR SHCXMP 150 Pail 20L	151651	MOBIL SHC GEAR 150 PAIL 20L
122844	M-GEAR SHCXMP 220 Drum-M 208L	151653	MOBIL SHC GEAR 220 DRUM-M 208L
122846	M-GEAR SHCXMP 220 Pail 20L	151655	MOBIL SHC GEAR 220 PAIL 20L
122850	M-GEAR SHCXMP 320 IBC-PL 1000L	151662	MOBIL SHC GEAR 320 IBC-PL 1000L
122849	M-GEAR SHCXMP 320 Drum-M 208L	151663	MOBIL SHC GEAR 320 DRUM-M 208L
122852	M-GEAR SHCXMP 320 Pail 20L	151664	MOBIL SHC GEAR 320 PAIL 20L
122854	M-GEAR SHCXMP 460 Drum-M 208L	151656	MOBIL SHC GEAR 460 DRUM-M 208L
122855	M-GEAR SHCXMP 460 Pail 20L	151657	MOBIL SHC GEAR 460 PAIL 20L
122857	M-GEAR SHCXMP 680 Drum-M 208L	151659	MOBIL SHC GEAR 680 DRUM-M 208L
122858	M-GEAR SHCXMP 680 Pail 20L	151660	MOBIL SHC GEAR 680 PAIL 20L


Industrial Lubes Update



Product Reformulation

New Mobiltherm 605

In order to improve the supply reliability of Mobiltherm 605, the product has now been reformulated and new material codes have been created.



Concurrent with this reformulation, Mobiltherm 32 will be cancelled and replaced by Mobiltherm 605. New Mobiltherm 605 is compatible with the old formulation and with Mobiltherm 32.

Current and replacement material codes are tabulated below:

Existing Material Codes	Existing Material Name	New Material codes	New Material Name
145484	M-MOBILTHERM 605 IBC-PL 1000L	151744	MOBILTHERM 605 IBC-P 1000L
145480	M-MOBILTHERM 605 DRUM-M 208L	151745	MOBILTHERM 605 DRUM-M 208L
145482	M-MOBILTHERM 605 PAIL 20L	151746	MOBILTHERM 605 PAIL 20L
145107	M-THERM 32 IBC-PL 1000L	151744	MOBILTHERM 605 IBC-P 1000L
145106	M-THERM 32 DRUM-M 208L	151745	MOBILTHERM 605 DRUM-M 208L
145108	M-THERM 32 PAIL 20L	151746	MOBILTHERM 605 PAIL 20L



Industrial Lubes Update



New Article Codes

Mobil Rarus 827 & 829

The material codes of Mobil Rarus 827 and Mobil Rarus 829 have changed, effective from March 2011. Also, the plastic pails will change to metallic pails.

Although the material codes will be changing, the formulations, product data sheets and material safety data sheets remains unchanged.

The product data sheets and material safety data sheets are available online at

www.mobilindustrial.com

Current and replacement material codes are tabulated below:

Existing Material Codes	Existing Material Name	New Material Codes	New Material Name
125349	M-RARUS 827 Drum-M 208L	151579	MOBIL RARUS 827 DRUM-M 55USG
125355	M-RARUS 827 Pail 20L	151578	MOBIL RARUS 827 PAIL 5USG
125360	M-RARUS 829 Drum-M 208L	151710	MOBIL RARUS 829 DRUM USG55
125366	M-RARUS 829 Pail 20L	151711	MOBIL RARUS 829 PAIL USG5



Industrial Lubes Update



Product Replacement

Mobil Grease XHP 322 Series

Mobil Grease XHP 322 Series will be replaced with Mobil Grease XHP 322 Mine Series.
Exact timing of change is depending on inventory.

Current and replacement material codes are tabulated below:

Existing Material Codes	Existing Material Name	New Material Codes	New Material Name
123285	M-GREASE XHP 322S CARTRIGES 24X0.4KG	151721	M-GREASE XHP 322 MINE CARTR 24X0.4KG
123286	M-GREASE XHP 322S Drum-G 180KG	150171	M-GREASE XHP 322 MINE DRUM-G 180KG
123287	M-GREASE XHP 322S Keg-W 50KG	150195	M-GREASE XHP 322 MINE KEG 50KG
146382	M-GREASE XHP 322S PAIL 18KG	151544	M-GREASE XHP 322 MINE PAIL-PL 18KG



Mobil 1

**Mobil
Delvac 1**

Mobil SHC

New Product Recommendation Tools

Beginning of May we launched our new local country web sites for Finland, Sweden & Norway featuring product information for both our Automotive and Industrial lubricants as well as a brand new product selector!

The product selector will give you the opportunity to find the right lubricant for Personal, as well as for Commercial vehicles. To find out more visit us at the following web sites:

For Finland: www.mobil.fi and www.mobil1.fi

For Sweden: www.mobiloil.se and www.mobil1.se

For Norway: www.mobil.no and www.mobil1.no

For Denmark: www.mobil1.dk

In May we also launched our new Product Selector for our Industrial lubricants named "Looble". Through Looble you will find recommendations for a full range of Industrial applications. To find our more visit us at the following web sites:

www.looble.com

www.mobilindustrial.com





Further information

For additional details please contact Customer Service/Technical HelpDesk or your local ExxonMobil Lubricants representative.

PDS & MSDS are available on the following internet sites:

- <http://www.exxonmobil.com/pdssearch/search.asp>
- <http://www.msds.exxonmobil.com/psims/psims.aspx>

Product Updates are also available on our local Mobil internet sites: www.mobil.fi, www.mobil.no, www.mobiloil.se.

In case you should not wish to receive this product update please reply to email address [Nordic Sales Operations Prague@xom](mailto:Nordic_Sales_Operations_Prague@xom) or contact your local ExxonMobil Lubricants representative.

Email address source: ExxonMobil CRM system
